

Documentation API EzForms wrapper:

Transformes les données de ezforms/recupData.php en json et les parse pour l'application copieur / desktop. base url du Webservice: ezformsapp

1) ezformsapp/getapps

Paramètre du Webservice: identifiant

identifiant => correspond a l'id de l'utilisateur (secusr_id)

Retour du Webservice: liste des applications pour cet utilisateur

```
exemple: {
  "errorcode": 0,
  "errmsg": "ok",
  "count": 2,
  "rows": [
    {
      "EZFORMS_APP_DESC": "test",
      "EZFORMS_APP_ID": "1",
      "EZFORMS_APP_HISTO": "1",
      "EZFORMS_APP_TYPHISTO": "1"
    },
    {
      "EZFORMS_APP_DESC": "rara",
      "EZFORMS_APP_ID": "3",
      "EZFORMS_APP_HISTO": "0",
      "EZFORMS_APP_TYPHISTO": "0"
    }
  ]
}
```

2) ezformsapp/getcustomparams

Retour du Webservice: Paramètres de configuration visuel pour l'application

```
exemple : {
  "errorcode": 0,
  "errmsg": "ok",
  "count": 8,
  "rows": {
    "EZFORMS_PARAMS_LOGOPNG": "logo.png",
    "EZFORMS_PARAMS_COLORSBANDEAU": "255,255,255",
    "EZFORMS_PARAMS_POLICEBANDEAU": "140,159,176",
    "EZFORMS_PARAMS_COLORSFONDBTN": "255,255,255",
    "EZFORMS_PARAMS_COLORSBORDUREBTN": "174,209,125",
    "EZFORMS_PARAMS_COLORSPOLICEBTN": "174,209,125",
    "EZFORMS_PARAMS_COLORSFONDLOGO": "255,255,255",
    "EZFORMS_PARAMS_TXTBANDEAU": "GED haute performance"
  }
}
```

```
}
```

3) ezformsapp/gethistoric

Paramètre du Webservice: applie, id

applie => id de l'application

id => id de l'utilisateur (secusr_id)

Retour du Webservice: Nom de l'application, compteur de validation, compteur d'attente, compteur de refus, liste d'historique contenant la date, l'etat et l'rsid

```

exemple : {
  "errorcode": 0,
  "errmsg": "ok",
  "count": 3,
  "rows": [
    {
      "EZFORMS_APP_DESC": "test",
      "VALIDE_COUNT": "0",
      "WAITING_COUNT": "3",
      "REFUSAL_COUNT": "0",
      "historic": [
        {
          "EZFORMS_RESPONSEDATA_DATE": "25/05/2021",
          "EZFORMS_RESPONSEDATA_ETAT": "0",
          "EZFORMS_RESPONSEDATA_ID": "3"
        },
        {
          "EZFORMS_RESPONSEDATA_DATE": "18/05/2021",
          "EZFORMS_RESPONSEDATA_ETAT": "0",
          "EZFORMS_RESPONSEDATA_ID": "2"
        },
        {
          "EZFORMS_RESPONSEDATA_DATE": "03/04/2021",
          "EZFORMS_RESPONSEDATA_ETAT": "0",
          "EZFORMS_RESPONSEDATA_ID": "4"
        }
      ]
    }
  ]
}

```

4) ezformsapp/gethistoriclistdate

Paramètre du Webservice: applie, id

applie => id de l'application

id => id de l'utilisateur (secusr_id)

Retour du Webservice: nom de l'application, liste d'historique par mois-année

```

exemple: {

```

```

"errorcode": 0,
"errmsg": "ok",
"count": 2,
"rows": {
  "EZFORMS_APP_DESC": "test",
  "historic": [
    {
      "FULLDATE": "Mai 2021",
      "MONTH": "Mai",
      "YEAR": "2021"
    },
    {
      "FULLDATE": "Avril 2021",
      "MONTH": "Avril",
      "YEAR": "2021"
    }
  ]
}
}

```

5) ezformsapp/gethistoricbydate

Paramètre du Webservice: applie, id, mois, annee
 applie => id de l'application
 id => id de l'utilisateur (secusr_id)
 mois => nom du mois (ex: Mai or mai)
 annee => 4 chiffre (ex: 2021)

Retour du Webservice: nom de l'application, compteur de validation, compteur d'attente, compteur de refus, liste d'historique contenant la date, l'etat et l'rsid. Filtré par les parametres mois et année

```

exemple : {
  "errorcode": 0,
  "errmsg": "ok",
  "count": 2,
  "rows": [
    {
      "EZFORMS_APP_DESC": "test",
      "VALIDE_COUNT": "0",
      "WAITING_COUNT": "2",
      "REFUSAL_COUNT": "0",
      "historic": [
        {
          "EZFORMS_RESPONSEDATA_DATE": "25/05/2021",
          "EZFORMS_RESPONSEDATA_ETAT": "0",
          "EZFORMS_RESPONSEDATA_ID": "3"
        },
        {
          "EZFORMS_RESPONSEDATA_DATE": "18/05/2021",
          "EZFORMS_RESPONSEDATA_ETAT": "0",

```

```

    "EZFORMS_RESPONSEIDATA_ID": "2"
  }
]
}
}
}

```

6) ezformsapp/formulaire

parametres du Webservice: applie, page, id, pageprecedente
 applie => id de l'application
 page => numero de la page
 id => id de l'utilisateur (secusr_id)
 pageprecedente => numero de la page page precedente

Retour du Webservice: rsid de responsedata, nom de la page, type de la page, numero de page suivante,
 nombre de widget sur la page (exclu widget_type_id: 4 - 5 - 6).
 widget = liste des champs pour creer le formulaire:
 widget type id, nom du champ, nom du champ dans la bdd, nombre de caractères max, champ requis,
 valeur du champ par défaut

exemple: {
 "errorcode": 0,
 "errmsg": "ok",
 "count": 3,
 "rows": [
 {
 "EZFORMS_RESPONSEIDATA_ID": "7",
 "EZFORMS_PAGE_DESC": "Page0ne",
 "EZFORMS_PAGE_TYPE": "1",
 "EZFORMS_PAGE_SUIVANTE": "2",
 "NUMBER_WIDGET": "2",
 "widget": [
 {
 "EZFORMS_WIDGET_EZFORMS_WIDGET_TYPEID": "1",
 "EZFORMS_WIDGET_DESC": "test",
 "EZFORMS_WIDGET_VARNAME": "STATS_KM",
 "EZFORMS_WIDGET_LIMITLENGTH": "0",
 "EZFORMS_WIDGET_REQUIRED": "0",
 "EZFORMS_WIDGET_DEFAULTVALUE": "test"
 },
 {
 "EZFORMS_WIDGET_EZFORMS_WIDGET_TYPEID": "4",
 "EZFORMS_WIDGET_DESC": "photo",
 "EZFORMS_WIDGET_VARNAME": "",
 "EZFORMS_WIDGET_LIMITLENGTH": "0",
 "EZFORMS_WIDGET_REQUIRED": "0",
 "EZFORMS_WIDGET_DEFAULTVALUE": "0"
 },
 {
 "EZFORMS_WIDGET_EZFORMS_WIDGET_TYPEID": "1",

```

        "EZFORMS_WIDGET_DESC": "desc",
        "EZFORMS_WIDGET_VARNAME": "STATS_LIB",
        "EZFORMS_WIDGET_LIMITLENGTH": "0",
        "EZFORMS_WIDGET_REQUIRED": "0",
        "EZFORMS_WIDGET_DEFAULTVALUE": "0"
    }
}
]
}
}
}

```

7) ezformsapi/getpagesbyappid

parametres du Webservice: appid, id

appid => id de l'application

id => id de l'utilisateur (secusr_id)

Retour du Webservice: liste de pages contenant les informations des widget

```

exemple: {
  "errorcode": 0,
  "errmsg": "ok",
  "count": 2,
  "rows": [
    {
      "EZFORMS_RESPONSEDATA_ID": "24",
      "EZFORMS_PAGE_DESC": "Page One",
      "EZFORMS_PAGE_TYPE": "1",
      "EZFORMS_PAGE_SUIVANTE": "2",
      "NUMBER_WIDGET": "1",
      "widget": [
        {
          "EZFORMS_WIDGET_EZFORMS_WIDGET_TYPEID": "1",
          "EZFORMS_WIDGET_DESC": "Lib",
          "EZFORMS_WIDGET_VARNAME": "STATS_LIB",
          "EZFORMS_WIDGET_LIMITLENGTH": "0",
          "EZFORMS_WIDGET_REQUIRED": "0",
          "EZFORMS_WIDGET_DEFAULTVALUE": "0"
        }
      ]
    },
    {
      "EZFORMS_RESPONSEDATA_ID": "24",
      "EZFORMS_PAGE_DESC": "Page Two",
      "EZFORMS_PAGE_TYPE": "1",
      "EZFORMS_PAGE_SUIVANTE": "0",
      "NUMBER_WIDGET": "2",
      "widget": [
        {
          "EZFORMS_WIDGET_EZFORMS_WIDGET_TYPEID": "1",
          "EZFORMS_WIDGET_DESC": "Page T - Lib",
          "EZFORMS_WIDGET_VARNAME": "STATS_LIB",

```

```
        "EZFORMS_WIDGET_LIMITLENGTH": "0",
        "EZFORMS_WIDGET_REQUIRED": "0",
        "EZFORMS_WIDGET_DEFAULTVALUE": "0"
    },
    {
        "EZFORMS_WIDGET_EZFORMS_WIDGET_TYPEID": "2",
        "EZFORMS_WIDGET_DESC": "Date",
        "EZFORMS_WIDGET_VARNAME": "STATS_LIB",
        "EZFORMS_WIDGET_LIMITLENGTH": "0",
        "EZFORMS_WIDGET_REQUIRED": "0",
        "EZFORMS_WIDGET_DEFAULTVALUE": "0"
    }
}
]
```

From: <http://wiki.ezdev.fr/> - **EzGED Wiki**

Permanent link: <http://wiki.ezdev.fr/doku.php?id=dev:api:ezforms&rev=1624019472>

Last update: **2023/03/17 09:56**

