

db_common

dbgenericselectindict

Fonction générique de sélection d'enregistrements d'une table. Retourne un dictionnaire indexé selon la valeur d'un champ choisi.

Paramètres

| Paramètre | Type | Default | Description |
|---------------------|------------|---------|---|
| usession | session | None | NCHP Session |
| itbl | string | None | table to fetch |
| ifldkey | string | None | fields that wil be key for return dict |
| iflds | list | None | fields to put values in |
| iorder | string | None | Field for default sort |
| isens | "A" or "D" | A | sort ascendant or descendant |
| iorderother | string | | optional second sort |
| isensother | "A" or "D" | A | sort ascendant or descendant for second sort |
| ifldcond | string | | optional field to check in where clause |
| ifldcondval | undefined | | optional value for field to check in where clause |
| ifldop | string | = | optional operator for field to check in where clause |
| ifldcond2 | string | | optional second field to check in where clause |
| ifldcondval2 | undefined | | optional second value for field to check in where clause |
| ifldop2 | string | = | optional second operator for field to check in where clause |
| dbtype | | None | |
| ifldcond3 | | | |
| ifldcondval3 | | | |
| ifldop3 | | = | |

Par exemple si l'on veut sélectionner tout les enregistrements de la table facture sans spécifier d'ordre ou de conditions:

```
vdict = db_common.dbgenericselectindict(gses, "facture", "FACTURE_ID",
["FACTURE_NUM", "FACTURE_DATE", "FACTURE_TTC"])
print vdict
```

On obtiendras

```
{"7": {"FACTURE_NUM": "F001013", "FACTURE_DATE": "2017-08-28
00:00:00", "FACTURE_TTC": 2450.30}}
```

gses est le nom de la variable qui référence l'instance de connexion vers à la base de données.

From:

<http://wiki.ezdev.fr/> - **EzGED Wiki**

Permanent link:

http://wiki.ezdev.fr/doku.php?id=dev:api:python:db_common&rev=1503929574

Last update: **2023/03/17 09:56**

